# Safety Data Sheet



## **SECTION 1: Identification**

#### 1.1. Identification

Product name : PreCede Canola

#### 1.2. Recommended use and restrictions on use

Use of the substance/mixture : Liquid Fertilizer

#### 1.3. Supplier

ATP Nutrition Ltd. 190 Agri Park Road Oak Bluff, MB R4G 0A5

T 204-287-2023 - F 204-287-0027

infocanada@atpnutrition.ca - www.atpnutrition.ca

### 1.4. Emergency telephone number

Emergency number : CANUTEC: +1-613-996-6666 or \*666 (cellular)

## SECTION 2: Hazard(s) identification

#### 2.1. Classification of the substance or mixture

### **GHS US classification**

 Skin Irrit. 2
 H315

 Eye Irrit. 2
 H319

 Repr. 2
 H361

 STOT SE 3
 H335

## 2.2. GHS Label elements, including precautionary statements

#### **GHS US labeling**

Hazard pictograms (GHS US)





Signal word (GHS US) : Warning

Hazard statements (GHS US) : H315 - Causes skin irritation

H319 - Causes serious eye irritation H335 - May cause respiratory irritation

H361 - Suspected of damaging fertility or the unborn child

Precautionary statements (GHS US) : P201 - Obtain special instructions before use.

P202 - Do not handle until all safety precautions have been read and understood.

P261 - Avoid breathing dust/fume/gas/mist/vapors/spray.

P264 - Wash hands, forearms and face thoroughly after handling.

P271 - Use only outdoors or in a well-ventilated area.

P280 - Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352 - If on skin: Wash with plenty of water.

P304+P340 - If inhaled: Remove person to fresh air and keep comfortable for breathing. P305+P351+P338 - IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P308+P313 - If exposed or concerned: Get medical advice/attention.

P312 - Call a poison center or doctor if you feel unwell.

AT - en 1/9

# Safety Data Sheet

P321 - Specific treatment (see supplemental first aid instruction on this label).

P332+P313 - If skin irritation occurs: Get medical advice/attention.

P337+P313 - If eye irritation persists: Get medical advice/attention.

P362+P364 - Take off contaminated clothing and wash it before reuse.

P403+P233 - Store in a well-ventilated place. Keep container tightly closed.

P405 - Store locked up.

P501 - Dispose of contents/container to hazardous or special waste collection point, in accordance with local, regional, national and/or international regulation.

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

## **SECTION 3: Composition/Information on ingredients**

#### 3.1. Substances

Not applicable

#### 3.2. Mixtures

Name	Product identifier	%
Triethanolamine borate	CAS-No.: 283-56-7	32.8
Sea kelp extract	-	20
Phosphoric acid, potassium salt (1:1)	CAS-No.: 7778-77-0	17.7
Zinc sulfate, monohydrate	CAS-No.: 7446-19-7	11.33
Boric acid (H3BO3)	CAS-No.: 10043-35-3	1
Xanthan gum	CAS-No.: 11138-66-2	0.37

# **SECTION 4: First-aid measures**

### 4.1. Description of first aid measures

First-aid measures after inhalation

: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

First-aid measures after skin contact

: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.

First-aid measures after eye contact

Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.

First-aid measures after ingestion

Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact Symptoms/effects after eye contact Symptoms/effects after inhalation Symptoms/effects after ingestion

: Causes skin irritation.

: Causes serious eye irritation.

: May cause serious eye irritation.

: May be harmful if swallowed.

AT - en 2/9

# Safety Data Sheet

### 4.3. Immediate medical attention and special treatment, if necessary

In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.

## **SECTION 5: Fire-fighting measures**

#### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media : Foam. Dry powder. Carbon dioxide. Water spray. Sand.

Unsuitable extinguishing media : Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire : Toxic fumes may be released.

#### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions : Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering

environment.

Protection during firefighting : Fire-fighters should wear appropriate protective equipment and self-contained breathing

apparatus (SCBA) with a full face-piece operated in positive pressure mode.

### **SECTION 6: Accidental release measures**

#### 6.1. Personal precautions, protective equipment and emergency procedures

#### 6.1.1. For non-emergency personnel

Emergency procedures : No action shall be taken involving any personal risk or without suitable training. Keep

unnecessary and unprotected personnel from entering. Do not touch or walk through spilled

material. Put on appropriate personal protective equipment.

6.1.2. For emergency responders

Protective equipment : If specialized clothing is required to deal with the spillage, take note of any information in Section

8 on suitable and unsuitable materials. See also the information in "For nonemergency

personnel".

Emergency procedures : Keep unnecessary and unprotected personnel from entering.

### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water

courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see

Contaminated absorberit material may pose the same nazard as the spined product. Note.

Section 1 for emergency contact information and Section 13 for waste disposal.

# 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

AT - en 3/9

# Safety Data Sheet

## **SECTION 7: Handling and storage**

### 7.1. Precautions for safe handling

Precautions for safe handling

Hygiene measures

- : Put on appropriate personal protective equipment (see Section 8).
- : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions

: Do not freeze. Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

## **SECTION 8: Exposure controls/personal protection**

### 8.1. Control parameters

### Zinc sulfate, monohydrate (7446-19-7)

No additional information available

### Phosphoric acid, potassium salt (1:1) (7778-77-0)

No additional information available

### Xanthan gum (11138-66-2)

No additional information available

### Sea kelp extract

No additional information available

### Triethanolamine borate (283-56-7)

No additional information available

### Boric acid (H3BO3) (10043-35-3)

## **USA - ACGIH - Occupational Exposure Limits**

ACGIH OEL TWA 2 mg/m³ (inhalable particulate matter)	
ACGIH OEL STEL	6 mg/m³ (inhalable particulate matter)
ACGIH chemical category	Not Classifiable as a Human Carcinogen

# 8.2. Appropriate engineering controls

Appropriate engineering controls

: Ensure good ventilation of the work station.

Environmental exposure controls

: Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

## 8.3. Individual protection measures/Personal protective equipment

### Personal protective equipment:

Avoid all unnecessary exposure.

AT - en 4/9

# Safety Data Sheet

#### Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

## Eye protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### Skin and body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

### Respiratory protection:

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

#### Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

No data available No data available

No data available

No data available

### **SECTION 9: Physical and chemical properties**

### 9.1. Information on basic physical and chemical properties

Physical state : Liquid : Colorless Color Odor : characteristic Odor threshold : No data available рΗ : 7.9 - 8.3Melting point : Not applicable Freezing point No data available No data available Boiling point Flash point No data available Relative evaporation rate (butyl acetate=1) No data available Flammability (solid, gas) Non flammable. : No data available Vapor pressure Relative vapor density at 20°C : No data available  $1.3 \pm 0.10$ Specific gravity Relative density : No data available Solubility : No data available Partition coefficient n-octanol/water (Log Pow) No data available

#### 9.2. Other information

Auto-ignition temperature

**Explosion limits** 

Decomposition temperature Viscosity, kinematic

No additional information available

AT - en 5/9

# Safety Data Sheet

## **SECTION 10: Stability and reactivity**

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

# 10.2. Chemical stability

Not established.

## 10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

### 10.4. Conditions to avoid

Avoid freezing.

## 10.5. Incompatible materials

Oxidizers.

## 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## **SECTION 11: Toxicological information**

## 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified
Acute toxicity (dermal) : Not classified
Acute toxicity (inhalation) : Not classified

Zinc sulfate, monohydrate (7446-19-)
--------------------------------------

ATE US (oral) 500 mg/kg body weight

# Phosphoric acid, potassium salt (1:1) (7778-77-0)

LD50 oral rat 3200 mg/kg

# Boric acid (H3BO3) (10043-35-3)

LD50 oral rat	2660 mg/kg	
LD50 dermal rabbit	> 2000 mg/kg	
LC50 Inhalation - Rat	> 0.16 mg/l/4h	
ATE US (oral)	2660 mg/kg body weight	

Skin corrosion/irritation : Causes skin irritation.

Serious eye damage/irritation : Causes serious eye irritation.

Respiratory or skin sensitization : Not classified Germ cell mutagenicity : Not classified Carcinogenicity : Not classified

Reproductive toxicity : Suspected of damaging fertility or the unborn child.

STOT-single exposure : May cause respiratory irritation.

STOT-repeated exposure : Not classified Aspiration hazard : Not classified

AT - en 6/9

# Safety Data Sheet

### **SECTION 12: Ecological information**

### 12.1. Toxicity

Ecology - general : Toxic to aquatic life with long lasting effects.

### Boric acid (H3BO3) (10043-35-3)

EC50 - Crustacea [1] 115 – 153 mg/l (Exposure time: 48 h - Species: Daphnia magna)

### 12.2. Persistence and degradability

#### **PreCede Canola**

Persistence and degradability

Not established.

### 12.3. Bioaccumulative potential

	PreCede Canola		
Bioaccumulative potential		Not established.	
	Boric acid (H3BO3) (10043-35-3)		

BCF - Fish [1] 0

Partition coefficient n-octanol/water (Log Pow) -0.757 (at 25 °C)

### 12.4. Mobility in soil

No additional information available

#### 12.5. Other adverse effects

Ozone : Not classified

Other information : Avoid release to the environment.

# **SECTION 13: Disposal considerations**

# 13.1. Disposal methods

Product/Packaging disposal recommendations

: The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

# **SECTION 14: Transport information**

In accordance with DOT / TDG / IMDG / IATA

# 14.1. UN number

DOT NA No : Not applicable UN-No. (TDG) : Not applicable UN-No. (IMDG) : Not applicable

AT - en 7/9

# Safety Data Sheet

UN-No. (IATA) : Not applicable

# 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable
Proper Shipping Name (TDG) : Not applicable
Proper Shipping Name (IMDG) : Not applicable
Proper Shipping Name (IATA) : Not applicable

## 14.3. Transport hazard class(es)

DOT

Transport hazard class(es) (DOT) : Not applicable

**TDG** 

Transport hazard class(es) (TDG) : Not applicable

**IMDG** 

Transport hazard class(es) (IMDG) : Not applicable

**IATA** 

Transport hazard class(es) (IATA) : Not applicable

## 14.4. Packing group

Packing group (DOT) : Not applicable
Packing group (TDG) : Not applicable
Packing group (IMDG) : Not applicable
Packing group (IATA) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available.

## 14.6. Special precautions for user

DOT

Not applicable

**TDG** 

Not applicable

**IMDG** 

Not applicable

IATA

Not applicable

## 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

# **SECTION 15: Regulatory information**

# 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Zinc sulfate, monohydrate	7446-19-7	Not present	-	
Phosphoric acid, potassium salt (1:1)	7778-77-0	Present	Active	
Xanthan gum	11138-66-2	Present	Active	XU

AT - en 8/9

# Safety Data Sheet

Name	CAS-No.	Listing	Commercial status	Flags
Sea kelp extract		Not present	-	
Triethanolamine borate	283-56-7	Not present	-	
Boric acid (H3BO3)	10043-35-3	Present	Active	

## 15.2. US State regulations

No additional information available

# **SECTION 16: Other information**

Date of Issue: 7/31/2023
Date of Previous Issue: -

Version: 1

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

AT - en 9/9