

SAFTEY DATA SHEET

1. Company Identification and Product Hazard Overview:

Product Name: Sodium Molybdate

Synonyms: Disodium Molybdate, Molybdic Acid Disodium Salt

Recommended Use: Scale deposit and corrosion inhibitor, tracer in water treatments,

micronutrient in fertilizers/food and medicine supplements, pigment

agent, laboratory reagent.

Distributed by: Valudor Products LLC

11260 El Camino Real Suite 210

San Diego, Ca 92130

Emergency Telephone (800) 535 5053

2. Hazard Identification:

GHS Classification: Acute Toxicity Dust Inhalation Category 4

Signal Word: WARNING



Hazard Statements: Harmful if inhaled

Precautionary Statements:

P261 Avoid breathing dust.

P271 Use only outdoors or in a well-ventilated area

Response Statements:

P304+P340 IF INHALED: Remove person to fresh air and keep at rest in a position

comfortable for breathing

P312 Call a POISON CENTER or doctor if you feel unwell

Storage: None

Disposal: None

Potential Health Effects:

Eyes : May cause eye irritation.

Skin : May cause skin irritation after excessive contact.

Inhalation : May be harmful if inhaled. May cause respiratory tract irritation.

Ingestion :May be harmful if swallowed. May result in stomach discomfort. Do not

swallow.

3. Composition/Information on Ingredient:

Common Name: Sodium Molybdate

CAS Number: 10102-40-6

Chemical Formula: Na2MoO4 x 2H2O

EC Number: 231-551-7

4. First Aid Measures:

Eyes :Flush eyes with running water for at least fifteen minutes. Remove any

contact lenses. If irritation persists, get medical aid.

Skin :Flush skin with running water for fifteen minutes. If irritation persists,

get medical attention.

Ingestion :Rinse mouth out and drink a glass of water. If the product is swallowed,

do not induce vomiting.

Inhalation :If safe to do so, remove individual from further exposure. Supply fresh

air. If cough or other symptoms develop, call doctor/poison center

immediately.

PPE first responders :Dust mask, gloves and safety goggles are highly recommended

5. Fire Fighting Measures:

Fire/Explosion Hazard : Negligible fire hazard when exposed to flame.

Extinguishing Media : Use any extinguishing media suitable for type of surrounding fire. : Evacuate personnel downwind in-order to avoid inhalation of irritating

and/or harmful fumes and smoke

Fire Fighting Procedures: This product is a non-flammable substance. No acute hazard. Fire Fighting Equipment: Full protective equipment (bunker gear) and self-contained breathing.

g Equipment : Full protective equipment (bunker gear) and self-contained breathing apparatus (SCBA) should be used for all indoor fires and any significant outdoor fires. If possible, firefighters should control run-off water to

prevent environmental contamination.

6. Accidental Release Measures:

Protective Gear for Personnel : Gloves and dust mask.

Spill Clean-up Procedures : Sweep up and dispose according to state, federal, and local

non-hazardous waste laws and regulations. Do not let waste enter

the environment.

Environmental Precaution : Do not allow to enter sewers or ground water, or penetrate the

soil.

7. Handling and Storage:

Handling : Use appropriate personal protective equipment as specified in

Section 8. Handle in a well-ventilated area. Handle in a manner consistent with good industrial/manufacturing techniques and practices. Wash hands thoroughly with soap and water after use. Remove contaminated clothing and protective equipment before

entering eating areas.

Storage : Store in a cool, dry well-ventilated area. Keep containers closed

when not in use. Observe all federal, state and local regulations

when storing or disposing of this substance.

8. Exposure Controls and Personal Protection:

Exposure Limits : Soluble Molybdenum

5 mg/m3 OSHA TWA 5 mg/m3 ACGIH TWA

5 mg/m3 DFG MAK TWA (total dust)

50 mg/m3 DFG MAK 30 minimum peak, average value, 1 time/shift

Exposure Controls : Sodium Molybdate is not classified as a hazardous substance. High

airborne dust concentrations require mechanical ventilation or a

respirator mask

Engineering Controls : Use appropriate engineering controls to minimize exposure to dust

generated via routine use. Maintain adequate ventilation of workplace

and storage areas

Personal Protective:

Equipment :Eyes and face: Wear safety glasses with side shields or goggles when

handling this material.

Skin: Wear protective clothing when handling this product to prevent

prolonged skin contact.

Respiratory: Avoid breathing dust or mist. Use NIOSH approved respiratory protection equipment when air borne exposure is excessive.

Work Hygienic Practices: Facilities storing or using this material should be equipped with emergency eyewash, and a safety shower. Good personal hygiene practices should always be

followed.

9. Chemical and Physical Properties:

Appearance/Color	White opaque	Odor	Odorless
	powder		
Odor threshold	N/A	Partition Coefficient	N/A
Flash Point	N/A	Solubility	Soluble in water
			(840g/L at 20°C)
Evaporation Rate	N/A at ambient	pH (neat)	7.0 - 10.0
	condition		
Lower Explosive	Not explosive	Melting Point	687°C
Limit			
Upper Explosive	Not explosive	Freezing Point	-4°C
Limit			
Auto-ignition Temp	N/A	Boiling Range	N/A
Decomposition Temp	100°C	Molecular Weight	241.948
Vapor Pressure	Negligible	Flammability	Non Flammable
Vapor Density	N/A	Relative Density	3.28 at 20 °C

10. Stability and Reactivity:

Stability : The product is stable under normal ambient conditions of

temperature and pressure.

Hazardous Decomposition

Products

Incompatible Materials : None identified.

Conditions to Avoid : Avoid exposure to extreme temperatures, contact with

incompatible chemicals, uncontrolled contact with accelerants.

Sodium Molybdate will explode on contact with molten

: Thermal decomposition may include toxic sodium oxide.

magnesium. Its reaction with hot potassium, sodium, or lithium is incandescent. It is incompatible with oxidizing agents and alkali metals. Sodium Molybdate with will violently react with interhalogens (e.g., bromine pentafluoride; chlorine trifluoride).

11. Toxicological Information:

Toxicity Data : LD₅₀ oral, rat 4233 mg/kg

LD₅₀ dermal, rat >2,000 mg/kgLD₅₀ intraperitoneal, rat 520 mg/kg LD₅₀

intraperitoneal, mouse 257 mg/kg LC₅₀ inhalation, rat, 4h, 2080 mg/m³

Carcinogen Status :None

Acute Toxicity Level : Low acute toxicity by ingestion. Irritant, gastrointestinal.

Target Organs : Lungs, spleen, heart.

Medical Conditions Aggravated by Exposure : Blood system problems, bone, joint or tooth

problems, respiratory problems.

EYE CONTACT

Acute Exposure : May cause irritation. A 20% solution applied to animal eyes caused

conjunctivitis with discharge, but no irritation to the cornea and iris.

Chronic Exposure : No data available.

INGESTION

Acute Exposure : Large doses may cause cramping, vomiting and hypertension. With

lethal doses of molybdenum compounds, death was preceded by lethargy

and coma.

Chronic Exposure : Chronic feeding to rabbits at dietary levels of 0.1% or higher was

uniformly fatal within a few weeks. There is a correlation between the molybdenum content in food and the incidence of gout, uricemia and xanthine oxidase activity. Signs of molybdenum poisoning include loss of appetite, listlessness, diarrhea and reduced growth rate. Animals on high dietary levels of molybdenum showed anemia and deformities of

the joints of the extremities.

12. Ecological Information:

Sodium Molybdate is used as a micronutrient for plants and animals. Excess molybdenum in some animals may result in a molybdenum induced copper deficiency known as molybdenosis. A lack of molybdenum in humans is known to contribute to gastro-intestinal cancers. A healthy balance of copper and molybdenum in a diet includes approximately 30% more Copper than Molybdeum.

All work practices must be aimed at eliminating environmental contamination.

ERMA Classifications 61.E

Terrestrial Ecotoxicity This material may be harmful or fatal to contaminated plants or animals,

especially if large volumes are released into the environments

Aquatic Ecotoxicity >79800 μg/L 96 hour LC50 (Mortality) striped bass (Morone saxatilis).

Invertebrate Toxicity 2650000 µg/L96 week EC50 (Immobilization) amphipod (Crangonyx

pseudogracilis).

Algal Toxicity Reptile 960000 µg/L 48 week (Cytogenetic) flagellate euglenoid (Euglena

gracilis).

13. Ecological Information Continued:

Toxicity Mobility in 960 µg/L 7 day LC50 (Mortality) narrow mouthed frog (Microhyla

carolinensis).

Soil No data available.

14. Disposal Considerations:

Disposal Method : Dispose of waste at an appropriate waste disposal facility according to

current applicable laws and regulations.

Product Disposal : Recycle or reuse whenever possible. Uncontaminated waste may be

returned to the manufacturer. Dispose of any contaminated waste product as non-hazardous waste, unless contamination is hazardous in nature

Packaging Disposal : Dispose of at a supervised incineration facility or an appropriate waste

disposal facility

15. Transport Information:

Shipping Name Not D.O>T regulated

Hazard Class Not Dangerous for Transport

UN Number None

16. Regulatory Information:

U.S. Federal Regulations:

TSCA Inventory Status : All components of this product are listed on the TSCA

inventory.

TSCA 12b Export Notification :Not listed.

EINECS listed: 231-551-7 CERCLA Section 103: No

SARA TITLE III (EPCRA) Section 302/304: This product was not found to be on the hazardous

chemicals list.


SARA TITLE III (EPCRA) Section 311/312: This product was not found to be on the acute hazard, chronic hazard, fire hazard, or reactivity hazard chemicals lists.

California Proposition 65 : This product is not listed


OSHA process Safety (29CFR1910.119) : This product is not listed Canadian Domestic Substance List: WHMIS Class D—Division 2B

17. Other Information:









All information in this MSDS was obtained from sources we believe are reliable. However, the information is provided without any warranty or representation, expressed or implied, regarding its accuracy.