

## SECTION 1: Identification

### 1.1. Identification

Product name : Releaf Corn

### 1.2. Recommended use and restrictions on use

Recommended uses and restrictions : Liquid Fertilizer

### 1.3. Supplier

ATP Nutrition Ltd.  
190 Agri Park Road  
Oak Bluff, MB  
R4G 0A5  
T 204-287-2023 - F 204-287-0027  
[infocanada@atpnutrition.ca](mailto:infocanada@atpnutrition.ca) - [www.atpnutrition.ca](http://www.atpnutrition.ca)

### 1.4. Emergency telephone number

Emergency number : CANUTEC: +1-613-996-6666 or \*666 (cellular)

## SECTION 2: Hazard(s) identification

### 2.1. Classification of the substance or mixture

#### GHS US classification

Not classified

### 2.2. GHS Label elements, including precautionary statements

#### GHS US labeling

No labeling applicable

### 2.3. Other hazards which do not result in classification

No additional information available

### 2.4. Unknown acute toxicity (GHS US)

No additional information available

## SECTION 3: Composition/Information on ingredients

### 3.1. Substances

Not applicable

# Releaf Corn

## Safety Data Sheet

### 3.2. Mixtures

Name	Product identifier	%
Urea	CAS-No.: 57-13-6	10 – 30
Borax (B <sub>4</sub> Na <sub>2</sub> O <sub>7</sub> ·10H <sub>2</sub> O)	CAS-No.: 1303-96-4	0.1 – 1

## SECTION 4: First-aid measures

### 4.1. Description of first aid measures

First-aid measures after inhalation	: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Get medical attention if symptoms occur. In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
First-aid measures after skin contact	: Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.
First-aid measures after eye contact	: Immediately flush eyes with plenty of water, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
First-aid measures after ingestion	: Wash out mouth with water. Remove victim to fresh air and keep at rest in a position comfortable for breathing. If material has been swallowed and the exposed person is conscious, give small quantities of water to drink. Do not induce vomiting unless directed to do so by medical personnel. Get medical attention if symptoms occur.

### 4.2. Most important symptoms and effects (acute and delayed)

Symptoms/effects after skin contact	: No known significant effects or critical hazards
Symptoms/effects after eye contact	: No known significant effects or critical hazards
Symptoms/effects after inhalation	: No known significant effects or critical hazards
Symptoms/effects after ingestion	: No known significant effects or critical hazards

### 4.3. Immediate medical attention and special treatment, if necessary

Other medical advice or treatment	: In case of inhalation of decomposition products in a fire, symptoms may be delayed. The exposed person may need to be kept under medical surveillance for 48 hours.
-----------------------------------	---

## SECTION 5: Fire-fighting measures

### 5.1. Suitable (and unsuitable) extinguishing media

Suitable extinguishing media	: Use suitable extinguishing media for surrounding fire.
Unsuitable extinguishing media	: Do not use a heavy water stream.

### 5.2. Specific hazards arising from the chemical

Hazardous decomposition products in case of fire	: Toxic fumes may be released.
--	--------------------------------

### 5.3. Special protective equipment and precautions for fire-fighters

Firefighting instructions	: Exercise caution when fighting any chemical fire. Prevent fire-fighting water from entering environment.
Protection during firefighting	: Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

# Releaf Corn

## Safety Data Sheet

### SECTION 6: Accidental release measures

#### 6.1. Personal precautions, protective equipment and emergency procedures

##### 6.1.1. For non-emergency personnel

Emergency procedures : No action shall be taken involving any personal risk or without suitable training. Keep unnecessary and unprotected personnel from entering. Do not touch or walk through spilled material. Put on appropriate personal protective equipment.

##### 6.1.2. For emergency responders

Protective equipment : If specialized clothing is required to deal with the spillage, take note of any information in Section 8 on suitable and unsuitable materials. See also the information in "For nonemergency personnel".

Emergency procedures : Keep unnecessary and unprotected personnel from entering.

#### 6.2. Environmental precautions

Avoid release to the environment. Prevent entry to sewers and public waters. Notify authorities if liquid enters sewers or public waters.

#### 6.3. Methods and material for containment and cleaning up

For containment : Collect spillage.

Methods for cleaning up : Stop leak if without risk. Move containers from spill area. Prevent entry into sewers, water courses, basements or confined areas. Wash spillages into an effluent treatment plant or proceed as follows. Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations (see Section 13). Dispose of via a licensed waste disposal contractor. Contaminated absorbent material may pose the same hazard as the spilled product. Note: see Section 1 for emergency contact information and Section 13 for waste disposal.

#### 6.4. Reference to other sections

See Heading 8. Exposure controls and personal protection. For further information refer to section 13.

### SECTION 7: Handling and storage

#### 7.1. Precautions for safe handling

Precautions for safe handling : Put on appropriate personal protective equipment (see Section 8).

Hygiene measures : Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. See also Section 8 for additional information on hygiene measures.

#### 7.2. Conditions for safe storage, including any incompatibilities

Storage conditions : Do not store below the following temperature: 10°C (50°F). Store in accordance with local regulations. Store in original container protected from direct sunlight in a dry, cool and well-ventilated area, away from incompatible materials (see Section 10) and food and drink. Keep container tightly closed and sealed until ready for use. Containers that have been opened must be carefully resealed and kept upright to prevent leakage. Do not store in unlabeled containers. Use appropriate containment to avoid environmental contamination.

### SECTION 8: Exposure controls/personal protection

#### 8.1. Control parameters

# Releaf Corn

## Safety Data Sheet

### Urea (57-13-6)

#### USA - AIHA - Occupational Exposure Limits

WEEL TWA	10 mg/m <sup>3</sup>
----------	----------------------

### Borax (B<sub>4</sub>Na<sub>2</sub>O<sub>7</sub>·10H<sub>2</sub>O) (1303-96-4)

#### USA - ACGIH - Occupational Exposure Limits

ACGIH OEL TWA	2 mg/m <sup>3</sup> (inhalable particulate matter)
---------------	--

ACGIH OEL STEL	6 mg/m <sup>3</sup> (inhalable particulate matter)
----------------	--

ACGIH chemical category	Not Classifiable as a Human Carcinogen
-------------------------	--

#### USA - NIOSH - Occupational Exposure Limits

NIOSH REL (TWA)	5 mg/m <sup>3</sup>
-----------------	---------------------

### 8.2. Appropriate engineering controls

Appropriate engineering controls	:	Ensure good ventilation of the work station.
Environmental exposure controls	:	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation.

### 8.3. Individual protection measures/Personal protective equipment

#### Personal protective equipment:

Avoid all unnecessary exposure.

#### Hand protection:

Chemical-resistant, impervious gloves complying with an approved standard should be worn at all times when handling chemical products if a risk assessment indicates this is necessary.

#### Eye protection:

Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to liquid splashes, mists, gases or dusts. If contact is possible, the following protection should be worn, unless the assessment indicates a higher degree of protection: safety glasses with side-shields.

#### Skin and body protection:

Personal protective equipment for the body should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

Appropriate footwear and any additional skin protection measures should be selected based on the task being performed and the risks involved and should be approved by a specialist before handling this product.

#### Respiratory protection:

Based on the hazard and potential for exposure, select a respirator that meets the appropriate standard or certification. Respirators must be used according to a respiratory protection program to ensure proper fitting, training, and other important aspects of use.

# Releaf Corn

## Safety Data Sheet

### Hygiene measures:

Wash hands, forearms and face thoroughly after handling chemical products, before eating, smoking and using the lavatory and at the end of the working period. Appropriate techniques should be used to remove potentially contaminated clothing. Wash contaminated clothing before reusing. Ensure that eyewash stations and safety showers are close to the workstation location.

## SECTION 9: Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Physical state	: Liquid
Color	: Green
Odor	: None
Odor threshold	: No data available
pH	: 6.4 – 6.9
Melting point	: Not applicable
Freezing point	: No data available
Boiling point	: No data available
Flash point	: No data available
Relative evaporation rate (butyl acetate=1)	: No data available
Flammability (solid, gas)	: Non flammable.
Vapor pressure	: No data available
Relative vapor density at 20°C	: No data available
Relative density	: 1.24
Solubility	: Soluble in water
Partition coefficient n-octanol/water (Log Pow)	: No data available
Auto-ignition temperature	: No data available
Decomposition temperature	: No data available
Viscosity, kinematic	: No data available
Viscosity, dynamic	: No data available
Explosion limits	: No data available
Explosive properties	: No data available
Oxidizing properties	: No data available

### 9.2. Other information

No additional information available

## SECTION 10: Stability and reactivity

### 10.1. Reactivity

The product is non-reactive under normal conditions of use, storage and transport.

### 10.2. Chemical stability

Not established.

### 10.3. Possibility of hazardous reactions

Under normal conditions of storage and use, hazardous reactions will not occur.

### 10.4. Conditions to avoid

None.

### 10.5. Incompatible materials

None known.

# Releaf Corn

## Safety Data Sheet

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: Toxicological information

### 11.1. Information on toxicological effects

Acute toxicity (oral) : Not classified  
Acute toxicity (dermal) : Not classified  
Acute toxicity (inhalation) : Not classified

#### Urea (57-13-6)

LD50 oral rat	8471 mg/kg
ATE US (oral)	8471 mg/kg

#### Borax (B<sub>4</sub>Na<sub>2</sub>O<sub>7</sub>·10H<sub>2</sub>O) (1303-96-4)

LD50 oral rat	3493 mg/kg
LD50 dermal rabbit	> 10000 mg/kg
LC50 Inhalation - Rat	> 2 mg/m <sup>3</sup> (Exposure time: 4 h)
ATE US (oral)	3493 mg/kg body weight

Skin corrosion/irritation : Not classified  
Serious eye damage/irritation : Not classified  
Respiratory or skin sensitization : Not classified  
Germ cell mutagenicity : Not classified  
Carcinogenicity : Not classified  
Reproductive toxicity : Not classified  
STOT-single exposure : Not classified  
STOT-repeated exposure : Not classified  
Aspiration hazard : Not classified

## SECTION 12: Ecological information

### 12.1. Toxicity

Ecology - general : Not classified

#### Urea (57-13-6)

LC50 - Fish [1]	16200 – 18300 mg/l (Exposure time: 96 h - Species: <i>Poecilia reticulata</i> )
EC50 - Crustacea [1]	3910 mg/l (Exposure time: 48 h - Species: <i>Daphnia magna</i> [Static])

### 12.2. Persistence and degradability

#### Releaf Corn

Persistence and degradability : Not established.

### 12.3. Bioaccumulative potential

#### Releaf Corn

Bioaccumulative potential : Not established.

# Relief Corn

## Safety Data Sheet

### Urea (57-13-6)

BCF - Fish [1]	< 10
Partition coefficient n-octanol/water (Log Pow)	-1.59 (at 25 °C)

### 12.4. Mobility in soil

No additional information available

### 12.5. Other adverse effects

Other information : Avoid release to the environment.

## SECTION 13: Disposal considerations

### 13.1. Disposal methods

Product/Packaging disposal recommendations : The generation of waste should be avoided or minimized wherever possible. Disposal of this product, solutions and any by-products should comply with the requirements of environmental protection and waste disposal legislation and any regional local authority requirements. Dispose of surplus and non-recyclable products via a licensed waste disposal contractor. Waste should not be disposed of untreated to the sewer unless fully compliant with the requirements of all authorities with jurisdiction. Waste packaging should be recycled. Incineration or landfill should only be considered when recycling is not feasible. This material and its container must be disposed of in a safe way. Care should be taken when handling empty containers that have not been cleaned or rinsed out. Empty containers or liners may retain some product residues. Avoid dispersal of spilled material and runoff and contact with soil, waterways, drains and sewers.

## SECTION 14: Transport information

In accordance with DOT / TDG / IMDG / IATA

### 14.1. UN number

DOT NA No : Not applicable  
UN-No. (TDG) : Not applicable  
UN-No. (IMDG) : Not applicable  
UN-No. (IATA) : Not applicable

### 14.2. UN proper shipping name

Proper Shipping Name (DOT) : Not applicable  
Proper Shipping Name (TDG) : Not applicable  
Proper Shipping Name (IMDG) : Not applicable  
Proper Shipping Name (IATA) : Not applicable

### 14.3. Transport hazard class(es)

**DOT**  
Transport hazard class(es) (DOT) : Not applicable  
**TDG**  
Transport hazard class(es) (TDG) : Not applicable  
**IMDG**  
Transport hazard class(es) (IMDG) : Not applicable

# Releaf Corn

## Safety Data Sheet

### IATA

Transport hazard class(es) (IATA) : Not applicable

### 14.4. Packing group

Packing group (DOT) : Not applicable

Packing group (TDG) : Not applicable

Packing group (IMDG) : Not applicable

Packing group (IATA) : Not applicable

### 14.5. Environmental hazards

Other information : No supplementary information available.

### 14.6. Special precautions for user

#### DOT

Not applicable

#### TDG

Not applicable

#### IMDG

Not applicable

#### IATA

Not applicable

### 14.7. Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable

## SECTION 15: Regulatory information

### 15.1. US Federal regulations

Commercial status of components according to the United States Environmental Protection Agency's Toxic Substances Control Act (TSCA):

Name	CAS-No.	Listing	Commercial status	Flags
Urea	57-13-6	Present	Active	
Borax (B4Na2O7.10H2O)	1303-96-4	Present	Active	

### 15.2. US State regulations

Component	State or local regulations
Urea(57-13-6)	U.S. - Minnesota - Hazardous Substance List
Borax (B4Na2O7.10H2O)(1303-96-4)	U.S. - Massachusetts - Right To Know List; U.S. - Minnesota - Hazardous Substance List; U.S. - Pennsylvania - RTK (Right to Know) List

## SECTION 16: Other information

Date of Issue: 9/18/2023

Date of Previous Issue: -

Version: 1



# Releaf Corn

## Safety Data Sheet

---

To the best of our knowledge, the information contained herein is accurate. However, neither the above-named supplier, nor any of its subsidiaries, assumes any liability whatsoever for the accuracy or completeness of the information contained herein. Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.